

## MC PA6G Cast Nylon Material Sheet Board Price Per Kg

for more products please visit us on makewellplastic.com

| Basic Information  |  |
|--|--|
| <ul> <li>Place of Origin:</li> <li>Brand Name:</li> <li>Certification:</li> <li>Model Number:</li> <li>Minimum Order Quantity:</li> <li>Price:</li> <li>Packaging Details:</li> <li>Delivery Time:</li> <li>Payment Terms:</li> <li>Supply Ability:</li> </ul> | China<br>MAKEWELL<br>ISO9001 Rohs, Reach<br>Nylon PA6 cast sheet rod<br>10kg<br>40- 60/kg<br>Pallet<br>7-15 days<br>L/C, D/A, D/P, T/T, Western Union,<br>MoneyGram<br>100000000 kg /month |

### **Product Specification**

| Material:                                 | Nylon   |
|---|---|
| Color:                                    | Black, White, Custom Color                            |
| • Size:                                   | 1 2 3 4 5 6-200mm                                     |
| Quality:                                  | High Quality  |
| <ul> <li>Delivery Time:</li> </ul>        | 7-15 Days   |
| <ul> <li>Advantage:</li> </ul>            | Good Mechanical Properties And Rigidity               |
| Surface:                                  | High Surface Hardness                                 |
| <ul> <li>Plastic Modling Type:</li> </ul> | Extruding,Mould                                       |
| • Type:                                   | Sheet, Rod, Tube                                      |
| • Packing:                                | Wooden Box,Wooden Case                                |
| • Tolerance:                              | As Drawing  |
| • Service:                                | OEM/ODM As Your Sketch,idea Or<br>Samples,OEM Service |
| • Item:                                   | Custom Cnc Machining Engineering Plastic<br>Products  |
| Dreduct Name                              | Nulas DAC Oper Dista /red/tuba                        |
|   |   |

## More Images



### **Product Description**

Our Prod

### Nylon is a tough, stable engineering thermoplastic used for its high strength, good rigidity, dimensional stability, and resistance to moisture and chemicals. Nylon uses include bearing and wear applications, where it acts as a replacement for many metals.

## Dur size

for more products please visit us on makewellplastic.com

# PA6 Cast (NC、BK)

| Product  | Diameter (mm)                               | Width (mm)                        | Length (mm)                       | Mark   |
|--|---|-----------------------------------|-----------------------------------|--|
| PA6C rod   | φ6  | _                                 | 1000                              |  |
| PA6C rod   | φ8  | -                                 | 1000                              |  |
| PA6C rod   | φ10   | _                                 | 1000                              |  |
| PA6C rod   | φ12   | -                                 | 1000                              |  |
| PA6C rod   | φ15   |                                   | 1000                              |  |
| PA6C rod   | φ18   | _                                 | 1000                              |  |
| PA6C rod   | φ20   |                                   | 1000                              |  |
| PA6C rod   | φ25   | _                                 | 1000                              |  |
| PA6C rod   | φ28   |                                   | 1000                              |  |
| PA6C rod   | φ30-300                                     | _                                 | 1000                              | Diameter 5mm/step  |
| PA6C rod   | φ300-400                                    |                                   | 500+20                            | Diameter 10mm/step   |
| Product  | Thickness (mm)                              | Width (mm)                        | Length (mm)                       | Mark   |
|  |   |                                   |                                   | TI: 1  |
| PA6C plate   | 6-12  | 540                               | 540                               | Thickness 2mm/step   |
| PA6C plate<br>PA6C plate   | 6-12<br>15-70                               | 540<br>540                        | 540<br>540                        | Thickness 2mm/step   |
|  |   |                                   |                                   |  |
| PA6C plate   | 15-70                                       | 540                               | 540                               | Thickness 5mm/step   |
| PA6C plate<br>PA6C plate   | 15-70<br>80-170                             | 540<br>540                        | 540<br>540                        | Thickness 5mm/step<br>Thickness 10mm/step  |
| PA6C plate<br>PA6C plate<br>PA6C plate                             | 15-70<br>80-170<br>110-200                  | 540<br>540<br>640                 | 540<br>540<br>640                 | Thickness 5mm/step<br>Thickness 10mm/step<br>Thickness 10mm/step   |
| PA6C plate<br>PA6C plate<br>PA6C plate<br>PA6C plate               | 15-70<br>80-170<br>110-200<br>6-12          | 540<br>540<br>640<br>1080         | 540<br>540<br>640<br>1080         | Thickness 5mm/step<br>Thickness 10mm/step<br>Thickness 10mm/step<br>Thickness 2mm/step                       |
| PA6C plate<br>PA6C plate<br>PA6C plate<br>PA6C plate<br>PA6C plate | 15-70<br>80-170<br>110-200<br>6-12<br>15-70 | 540<br>540<br>640<br>1080<br>1080 | 540<br>540<br>640<br>1080<br>1080 | Thickness 5mm/step<br>Thickness 10mm/step<br>Thickness 10mm/step<br>Thickness 2mm/step<br>Thickness 5mm/step |


etailed Photo











A: Where is your factory located? B: Our factory is located in Changxing City, Zhejiang Province, welcomed to visit our company!

A: Can I get some samples? B: Yes, we offer free samples. Customers just need to pay for the freight. A: Do you provide OEM service? B: Yes, OEM service is available. We have professional design department, which allows us to produce according to your requirements. A: What certificates have you got? B: Our products get ROHS, and REACH. A: What is the mass production lead time? B: Normally 10-20 days after deposit. Bulk order depends on the quantity. A: How to protect our rights after payment? B: Don't worry, we accept Alibaba Trade Assurance, which can help to 100% protect the quality, on-time shipment, and payment. A: How does your factory do regarding quality control? B: We always attach great importance to quality control from the beginning to the end: 1) All raw material we used are environmental-friendly; 2) Skilful workers care every detail in handling the producing and packing process. 3) Quality control department especially responsible for quality checking in each process.

 MakeWell
 Changzhou Makewell Industry Co., Ltd

 • +86-18626201100
 • info@makewellcz.com
 • Gounan Industrial Pack Wujin District Changzhou City, Jiangsu, China