China



ODM Polyimide Plastic Rod Sheet Plate Custom Size

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- MAKEWELL ISO9001 Rohs, Reach PI plate 0.5kg 1200- 2000/kg Pallet 7-15 days L/C, D/A, D/P, T/T, Western Union, MoneyGram 100000000 kg /month



Product Specification

| Material: | Plate |
|---|---|
| Color: | Brown |
| • Size: | Custom Size |
| Quality: | High Quality |
| Delivery Time: | 7-15 Days |
| Advantage: | Good Mechanical Properties And Rigidity |
| Surface: | High Surface Hardness |
| Plastic Modling Type: | Extruding,Mould |
| • Type: | Sheet, Rod, Tube |
| • Packing: | Wooden Box,Wooden Case |
| • Tolerance: | As Drawing |
| • Service: | OEM/ODM As Your Sketch,idea Or Samples,OEM Service |
| • Item: | Custom Cnc Machining Engineering Plastic Products |



More Images

Due durat Maria



Product Description

PI polyimide has excellent comprehensive properties, which can meet the requirements of low wear and long service life in harsh environments. The value of PI is also reflected in the application fields where the thermal performance of PAI cannot meet the requirements and the ultra-high thermal performance of PBI does not work. Therefore, PI products are mainly used in automotive, aerospace, national defense, electronic and electrical, glass, nuclear industry and semiconductor industry and other demanding applications.

Main performance:

Our Product Introduction

for more products please visit us on makewellplastic.com

1. Maximum working temperature in atmospheric environment (240 continuous use, short-term exposure to high temperature environment up to 450)

- 2. It has mechanical strength, rigidity and creep resistance under a wide range of temperature conditions
- 3. Good sliding performance and excellent wear resistance
- 4. Excellent dimensional stability
- 5. Inherent low combustion performance
- 6. Good electrical insulation and dielectric properties
- 7. Low vacuum permeability (dry material)
- 8. It can maintain high purity in ion polluted environment
 9. Excellent resistance to high-energy radiation

Our size

PI

| Product | Thickness (mm) | Width (mm) | Length (mm) | Mark |
|----------|----------------|------------|-------------|--------------------|
| Pl plate | 2-50 | 320 | 320 | Thickness 1mm/step |
| PI plate | 2-50 | 120 | 210 | Thickness 1mm/step |
| Product | Diameter (mm) | Width (mm) | Length (mm) | Mark |
| Pl rod | φ3-50 | - | 1000 | Diameter 1mm/ster |

Detailed Photos

















Our Exhibition





- 1) All raw material we used are environmental-friendly;
- 2) Skilful workers care every detail in handling the producing and packing process.
- 3) Quality control department especially responsible for quality checking in each process.

