**Basic Information** 

• Place of Origin:

• Brand Name:

China

MAKEWELL



# ODM Thermoplastic PA6 Cast Nylon Material Sheet Plate Pipe Wear Resistant

# **Our Product Introduction**

for more products please visit us on makewellplastic.com

| Certification:                            | ISO9001 Rohs, Reach                                   |  |
|---|---|--|
| Model Number:                             | Nylon PA6 cast sheet rod                              |  |
| Minimum Order Quantity:                   | 10kg  |  |
| Price:                                    | 40- 60/kg   |  |
| <ul> <li>Packaging Details:</li> </ul>    | Pallet  |  |
| <ul> <li>Delivery Time:</li> </ul>        | 7-15 days   |  |
| <ul> <li>Payment Terms:</li> </ul>        | L/C, D/A, D/P, T/T, Western Union,<br>MoneyGram       |  |
| Supply Ability:                           | 10000000 kg /month                                    |  |
|   |   |  |
| Product Specification                     |   |  |
| • Material:                               | Nylon   |  |
| Color:                                    | Black, White, Custom Color                            |  |
| • Size:                                   | 1 2 3 4 5 6-200mm                                     |  |
| • Quality:                                | High Quality  |  |
| <ul> <li>Delivery Time:</li> </ul>        | 7-15 Days   |  |
| Advantage:                                | Good Mechanical Properties And Rigidity               |  |
| • Surface:                                | High Surface Hardness                                 |  |
| <ul> <li>Plastic Modling Type:</li> </ul> | Extruding,Mould                                       |  |
| • Туре:                                   | Sheet, Rod, Tube                                      |  |
| Packing:                                  | Wooden Box,Wooden Case                                |  |
| <ul> <li>Tolerance:</li> </ul>            | As Drawing  |  |
|   |   |  |
| • Service:                                | OEM/ODM As Your Sketch,idea Or<br>Samples,OEM Service |  |
| <ul><li>Service:</li><li>Item:</li></ul>  | OEM/ODM As Your Sketch,idea Or                        |  |

# More Images



# **Product Description**

Nylon is a tough, stable engineering thermoplastic used for its high strength, good rigidity, dimensional stability, and resistance to moisture and chemicals. Nylon uses include bearing and wear applications, where it acts as a replacement for many metals.

Our size


**Our Product Introduction** 

# for more products please visit us on makewellplastic.com

| Product    | Diameter (mm)  | Width (mm) | Length (mm) | Mark                |
|------------|----------------|------------|-------------|---------------------|
| PA6C rod   | фб             | _          | 1000        |                     |
| PA6C rod   | φ8             | -          | 1000        |                     |
| PA6C rod   | φ10            |            | 1000        |                     |
| PA6C rod   | φ12            | _          | 1000        |                     |
| PA6C rod   | φ15            |            | 1000        |                     |
| PA6C rod   | φ18            | _          | 1000        |                     |
| PA6C rod   | φ20            |            | 1000        |                     |
| PA6C rod   | φ25            |            | 1000        |                     |
| PA6C rod   | φ28            | _          | 1000        |                     |
| PA6C rod   | φ30-300        | —          | 1000        | Diameter 5mm/step   |
| PA6C rod   | φ300-400       |            | 500+20      | Diameter 10mm/step  |
| Product    | Thickness (mm) | Width (mm) | Length (mm) | Mark                |
| PA6C plate | 6-12           | 540        | 540         | Thickness 2mm/step  |
| PA6C plate | 15-70          | 540        | 540         | Thickness 5mm/step  |
| PA6C plate | 80-170         | 540        | 540         | Thickness 10mm/step |
| PA6C plate | 110-200        | 640        | 640         | Thickness 10mm/step |
| PA6C plate | 6-12           | 1080       | 1080        | Thickness 2mm/step  |
| PA6C plate | 15-70          | 1080       | 1080        | Thickness 5mm/step  |
| PA6C plate | 80-120         | 1080       | 1080        | Thickness 10mm/step |
| PA6C plate | 6-12           | 1080       | 2160        | Thickness 2mm/step  |
| PA6C plate | 15-70          | 1080       | 2160        | Thickness 5mm/step  |

















A: Are you factory or Trade Company? B: We are professional manufacturer with about 10+ years experience. We can export you the products directly.

A: Where is your factory located? B: Our factory is located in Changxing City, Zhejiang Province, welcomed to visit our company!

A: Can I get some samples?

B: Yes, we offer free samples. Customers just need to pay for the freight.

A: Do you provide OEM service? B: Yes, OEM service is available. We have professional design department, which allows us to produce according to your requirements.

A: What certificates have you got? B: Our products get ROHS, and REACH.

A: What is the mass production lead time? B: Normally 10-20 days after deposit. Bulk order depends on the quantity.

A: How to protect our rights after payment? B: Don't worry, we accept Alibaba Trade Assurance, which can help to 100% protect the quality, on-time shipment, and

payment.

- A: How does your factory do regarding quality control?
  B: We always attach great importance to quality control from the beginning to the end:
  1) All raw material we used are environmental-friendly;
  2) Skilful workers care every detail in handling the producing and packing process.
  3) Quality control department especially responsible for quality checking in each process.

MakeWell Changzhou Makewell Industry Co., Ltd C +86-18626201100 O info@makewellcz.com O makewellplastic.com Gounan Industrial Pack Wujin District Changzhou City, Jiangsu, China