

High Performance PEEK CF30 Plastic Board 30% Carbon Filled

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
 - Packaging Details:
 - Delivery Time:
 - Payment Terms:
 - Supply Ability:

China MAKEWELL ISO9001 Rohs, Reach PEEK CF30 sheet 10kg 700- 1000/kg Pallet 7-15 days L/C, D/A, D/P, T/T, Western Union, MoneyGram 100000000 kg /month



Product Specification

• Material:	Plate	
Color:	Black, Natural	
• Size:	1.5-130mm Diameter	
Quality:	High Quality	
Delivery Time:	7-15 Days	
 Advantage: 	Good Mechanical Properties And Rigidity	
• Surface:	High Surface Hardness	
 Plastic Modling Type: 	Extruding,Mould	
• Type:	Sheet, Rod, Tube	
Packing:	Wooden Box,Wooden Case	
• Tolerance:	As Drawing	
Service:	OEM/ODM As Your Sketch,idea Or Samples,OEM Service	
• Item:	Custom Cnc Machining Engineering Plastic Products	
Duaduat Nama		



More Images



Product Description

PEEK series material is based on polyether ether ketone resin.Semi-crystalline advanced materials have unique comprehensive properties, such as high mechanical properties, high temperature resistance and excellent chemical resistance, which make them the most popular advanced plastic materials.

Main performance:

At high temperature, it still has high mechanical strength, stiffness and creep resistance. In the air, the maximum operating temperature is very high (250 continuous operation, 310 for a short time). Excellent chemical resistance and hydrolysis resistance

Excellent wear resistance

Good dimensional stability


Excellent resistance to high-energy radiation (gamma- and X- rays)

Inherent low flammability and very low smoke diffusion during combustion

Our size

PEEK

Product	Thickness (mm)	Width (mm)	Length (mm)	Mark
PEEK plate	5	1000	1250	
PEEK plate	6	1000	1250	
PEEK plate	8	1000	1250	
PEEK plate	10	1000	1250	
PEEK plate	12	1000	1250	
PEEK plate	16	1000	1250	
PEEK plate	20-50	1000	1250	Thickness 5mm/step
PEEK plate	60-100	1000	1250	Thickness 10mm/step
ESD PEEK plate	5	1000	1250	
ESD PEEK plate	6	1000	1250	
ESD PEEK plate	8	1000	1250	
ESD PEEK plate	10	1000	1250	
ESD PEEK plate	12	1000	1250	
ESD PEEK plate	16	1000	1250	
ESD PEEK plate	20-50	1000	1250	Thickness 5mm/step
ESD PEEK plate	60-100	1000	1250	Thickness 10mm/step
PEEK plate : Thickness	, length , width (1000~1250r	nm), min 5 pcs / set , acc	ording to customer.	
Product	Diameter (mm)	Width (mm)	Length (mm)	Mark
PEEK rod	ф1.5	-	1000	
PEEK rod	φ1.75	-	0.25kg/set &	
PEEK rod	¢2-10	-	φ2 -1 0	Diameter 1mm/step
PEEK rod PEEK rod	φ2-10 φ12		φ2-10 φ12+1000	Diameter 1mm/step
Contention of the		10, 10,		Diameter 1mm/step Diameter 5mm/step
PEEK rod	φ12	-	ф12 * 1000	Diameter Smm/step
PEEK rod PEEK rod	φ12 φ15-60	-	φ12 * 1000 φ15-60	Diameter Smm/step
PEEK rod PEEK rod PEEK rod	φ12 φ15-60 φ70-100		φ12•1000 φ15-60 φ70-100	Diameter Smm/step Diameter 10mm/step
PEEK rod PEEK rod PEEK rod PEEK CF30 rod	φ12 φ15-60 φ70-100 φ16-18	- - - -	φ12+1000 φ15-60 φ70-100 1000	Diameter Smm/step Diameter 10mm/step Diameter 2mm/step
PEEK rod PEEK rod PEEK rod PEEK CF30 rod PEEK CF30 rod	φ12 φ15-60 φ70-100 φ16-18 φ20-65		φ12*1000 φ15-60 φ70-100 1000 1000	Diameter 5mm/step Diameter 10mm/step Diameter 2mm/step Diameter 5mm/step
PEEK rod PEEK rod PEEK rod PEEK CF30 rod PEEK CF30 rod PEEK CF30 rod	φ12 φ15-60 φ70-100 φ16-18 φ20-65 φ70-130	- - - -	φ12-1000 φ15-60 φ70-100 1000 1000 1000	Dlameter Smm/step Diameter 10mm/step Diameter 2mm/step Diameter 5mm/step Diameter 10mm/step



















Our Exhibition





- 1) All raw material we used are environmental-friendly;
- 2) Skilful workers care every detail in handling the producing and packing process.
- 3) Quality control department especially responsible for quality checking in each process.

