



Low Friction Coefficient PA6 Oil Nylon Bar 60mm Green Black

Our Product Introduction

for more products please visit us on makewellplastic.com


Basic Information

- Place of Origin: China
- Brand Name: MAKEWELL
- Certification: ISO9001 Rohs, Reach
- Model Number: Nylon PA6 Oil sheet rod
- Minimum Order Quantity: 10kg
- Price: 30- 40/kg
- Packaging Details: Pallet
- Delivery Time: 7-15 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100000000 kg /month



Product Specification

- Material: Nylon
- Color: Yellow, Green, Black
- Size: 15-100mm Diameter
- Quality: High Quality
- Delivery Time: 7-15 Days
- Advantage: Good Mechanical Properties And Rigidity
- Surface: High Surface Hardness
- Plastic Modling Type: Extruding,Mould
- Type: Sheet, Rod, Tube
- Packing: Wooden Box,Wooden Case
- Tolerance: As Drawing
- Service: OEM/ODM As Your Sketch,idea Or Samples,OEM Service
- Item: Custom Cnc Machining Engineering Plastic Products
- Product Name: Nylon PA6 Oil



More Images



Product Description

Product Description


Oil nylon is a kind of excellent self lubricating material. It is a new type of engineering plastic which is made by adding special oil agent to ordinary cast nylon. It has the advantages of light weight, easy cutting, high strength, good toughness, low cost and long service life of ordinary cast nylon, but also has superior wear resistance and self-lubrication, high impact, high pressure and good temperature stability, has been widely used in all walks of life

Our size

PA6+Oil (Green)


| Product | Diameter (mm) | Width (mm) | Length (mm) | Mark |
|---------------|----------------|------------|-------------|---------------------|
| PA6+Oil rod | 15-50 | — | 1000 | Diameter 5mm/step |
| PA6+Oil rod | 50-70 | — | 1000 | Diameter 5mm/step |
| PA6+Oil rod | 70-100 | — | 1000 | Diameter 10mm/step |
| Product | Thickness (mm) | Width (mm) | Length (mm) | Mark |
| PA6+Oil plate | 5-8 | 620 | 1200 | Thickness 2mm/step |
| PA6+Oil plate | 10-12 | 620 | 1200 | Thickness 5mm/step |
| PA6+Oil plate | 30-300 | 620 | 1200 | Thickness 10mm/step |

Detailed Photos











Company Profile



APPLICATION



Food Processing



Food Packaging



Filling Machinery



Transport Equipment



Mechanical Parts



Electronics industry



Robot Industry



Medical Instruments



Glass Machinery



Chemical Equipment







Aircraft Accessories



Ship Manufacturing

Our Exhibition





FAQ

A: Are you factory or Trade Company?

B: We are professional manufacturer with about 10+ years experience. We can export you the products directly.

A: Where is your factory located?

B: Our factory is located in Changxing City, Zhejiang Province, welcomed to visit our company!

A: Can I get some samples?

B: Yes, we offer free samples. Customers just need to pay for the freight.

A: Do you provide OEM service?

B: Yes, OEM service is available. We have professional design department, which allows us to produce according to your requirements.

A: What certificates have you got?

B: Our products get ROHS, and REACH.

A: What is the mass production lead time?

B: Normally 10-20 days after deposit. Bulk order depends on the quantity.

A: How to protect our rights after payment?

B: Don't worry, we accept Alibaba Trade Assurance, which can help to 100% protect the quality, on-time shipment, and payment.

A: How does your factory do regarding quality control?

B: We always attach great importance to quality control from the beginning to the end:

- 1) All raw material we used are environmental-friendly;
- 2) Skilful workers care every detail in handling the producing and packing process.
- 3) Quality control department especially responsible for quality checking in each process.

MakeWell

Changzhou Makewell Industry Co., Ltd



+86-18626201100



info@makewellcz.com



makewellplastic.com

Gounan Industrial Park Wujin District Changzhou City, Jiangsu, China