Our Product Introduction





Amber Ultem PEI Plastic Sheet Board Engineering Plastic Polyetherimide

Basic Information

. Place of Origin: China

Brand Name: MAKEWELL

· Certification: ISO9001 Rohs, Reach

Model Number: PEI plate

• Minimum Order Quantity: 1kg • Price: 300/kg · Packaging Details: Pallet

Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

7-15 days

. Supply Ability: 100000000 kg /month



Product Specification

• Delivery Time:

• Material: SHEET · Color: Amber Size: **Custom Size** • Quality: High Quality • Delivery Time: 7-15 Days

Good Mechanical Properties And Rigidity Advantage:

· Surface: High Surface Hardness Plastic Modling Type: Extruding, Mould

Sheet, Rod, Tube • Type:

Wooden Box, Wooden Case · Packing:

Tolerance: As Drawing


· Service: OEM/ODM As Your Sketch,idea Or

Samples, OEM Service


Custom Cnc Machining Engineering Plastic . Item:

Products

DELDI-4- D-4



More Images









Product Description

Product Description

PEI is a polyether imide profile product, ideal for electrical and electronic insulation parts (such as: a variety of semiconductor process parts), as well as a variety of structural parts. These components require high strength and stiffness at high temperatures, so Ultem@PEI 1000 is well suited.

Main features:

- 1. High maximum operating temperature in the air (continuous 170)
- 2. Good resistance to hydrolysis (suitable for repeated steam sterilization)
- 3. High strength and hardness over a wide range of temperatures
- 4. Inherent low flammability during combustion and very low level of smoke diffusion during combustion
- 5. Good dimensional stability
- 6. Physiological inertia (suitable for food contact)
- 7. Excellent resistance to high energy radiation (gamma- and X-ray)
- 8. Excellent electrical insulation and dielectric properties

Our size

PEI1000 / PEI GF30


Product	Thickness (mm)	Width (mm)	Length (mm)	Mark
PEI plate	6	610	1220	
PEI plate	8	610	1220	
PEI plate	10-50	610	1220	Thickness 5mm/step
PEI plate	60-70	610	1220	Thickness 10mm/step
PEI plate	customer thickness	610	1220	Thickness 10mm/step
PEI+GF30 plate	6.35	1000	1250	
PEI+GF30 plate	9.5	1000	1250	
PEI+GF30 plate	12.7	1000	1250	
PEI+GF30 plate	15.8	610	1220	
PEI+GF30 plate	19	1000	1250	
PEI+GF30 plate	22.2	1000	1250	
PEI+GF30 plate	25.4	1000	1250	
PEI+GF30 plate	31.75	1000	1250	
PEI+GF30 plate	38.1	1000	1250	
PEI+GF30 plate	44,6	1000	1250	
PEI+GF30 plate	50.8	1000	1250	
PEI+GF30 plate	57.15	1000	1250	
PEI+GF30 plate	63.5	1000	1250	
PEI+GF30 plate	69.8	1000	1250	
PEI+GF30 plate	76.2	1000	1250	
PEI+GF30 plate	82.5	1000	1250	
DEL CEGO I	00.0	1000	1250	
PEI+GF30 plate	88.9	1000	1250	
PEI+GF30 plate PEI+GF30 plate	95.2	1000	1250	
	95.2 101.6			
PEI+GF30 plate	95.2	1000	1250 1250 Length (mm)	Mark
PEI+GF30 plate PEI+GF30 plate	95.2 101.6	1000 1000	1250 1250	Mark Diameter 2mm/step
PEI+GF30 plate PEI+GF30 plate Product PEI1000 rod PEI1000 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50	1000 1000	1250 1250 Length (mm) 1000	
PEI+GF30 plate PEI+GF30 plate Product PEI1000 rod	95.2 101.6 Diameter (mm) φ6-12	1000 1000 Width (mm)	1250 1250 Length (mm)	Diameter 2mm/step
PEI+GF30 plate PEI+GF30 plate Product PEI1000 rod PEI1000 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50	1000 1000 Width (mm)	1250 1250 Length (mm) 1000	Diameter 2mm/step Diameter 5mm/step
PEHGF30 plate PEHGF30 plate PFI000 rod PEI000 rod PEI000 rod PEI000 rod PEIFGF30 rod PEI+GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5	1000 1000 Width (mm)	1250 1250 Length (mm) 1000 1000 1000 1000 1000	Diameter 2mm/step Diameter 5mm/step
PEHGF30 plate PEHGF30 plate PFI000 rod PEI000 rod PEI000 rod PEI000 rod PEIFGF30 rod PEIFGF30 rod PEIFGF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7	1000 1000 Width (mm)	1250 1250 Length (mm) 1000 1000 1000	Diameter 2mm/step Diameter 5mm/step
PEHGF30 plate PEHGF30 plate Product PEI1000 rod PEI1000 rod PEI1000 rod PEIFGF30 rod PEIFGF30 rod PEIFGF30 rod PEIFGF30 rod PEIFGF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8	1000 1000 Width (mm)	1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEHGF30 plate PEHGF30 plate PFI000 rod PEI000 rod PEI000 rod PEI000 rod PEIFGF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7	1000 1000 Width (mm)	1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000	Diameter 2mm/step Diameter 5mm/step
PEHGF30 plate PEHGF30 plate Product PEI1000 rod PEI1000 rod PEI1000 rod PEIFGF30 rod PEIFGF30 rod PEIFGF30 rod PEIFGF30 rod PEIFGF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8	1000 1000 Width (mm)	1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PBH-GF30 plate PEH-GF30 plate PEH-GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8 19 22.2 25.4	1000 1000 Width (mm)	1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PBH-GF30 plate PB1000 rod PB1000 rod PB1000 rod PB1000 rod PBH-GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8 19 22.2	1000 1000 Width (mm)	1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PBH-GF30 plate PE1000 rod PE1000 rod PE1000 rod PE1000 rod PEH-GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8 19 22.2 25.4	1000 1000 Width (mm)	1250 1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PEH-GF30 plate PE1000 rod PE1000 rod PE1000 rod PEH-GF30 rod	95.2 101.6 Diameter (mm) \$\phi^6-12\$ \$\phi^15-50\$ \$\phi^60-250\$ 6.35 9.5 12.7 15.8 19 22.2 25.4 31.75 38.1 44.6	1000 1000 Width (mm)	1250 1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PEH-GF30 plate PEH000 rod PEH000 rod PEH000 rod PEH000 rod PEH-GF30 rod	95.2 101.6 Diameter (mm)	1000 1000 Width (mm)	1250 1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PEH-GF30 plate PEH000 rod PEH000 rod PEH000 rod PEH-GF30 rod	95.2 101.6 Diameter (mm) \$\phi 6-12\$ \$\phi 15-50\$ \$\phi 60-250\$ 6.35 9.5 12.7 15.8 19 22.2 25.4 31.75 38.1 44.6 50.8 57.15	1000 1000 Width (mm)	1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PEH-GF30 plate PEH000 rod PEH000 rod PEH000 rod PEH-GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8 19 22.2 25.4 31.75 38.1 44.6 50.8 57.15 63.5	1000 1000 Width (mm)	1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PBH-GF30 plate PBH000 rod PBH000 rod PBH000 rod PBH000 rod PBH-GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8 19 22.2 25.4 31.75 38.1 44.6 50.8 57.15 63.5 69.8	1000 1000 Width (mm)	1250 1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PEH-GF30 plate PEH000 rod PEH000 rod PEH000 rod PEH-GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8 19 22.2 25.4 31.75 38.1 44.6 50.8 57.15 63.5	1000 1000 Width (mm)	1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PBH-GF30 plate PBH000 rod PBH000 rod PBH000 rod PBH000 rod PBH-GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8 19 22.2 25.4 31.75 38.1 44.6 50.8 57.15 63.5 69.8	1000 1000 Width (mm)	1250 1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PBH-GF30 plate PBH-GF30 plate PEH-GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8 19 22.2 25.4 31.75 38.1 44.6 50.8 57.15 63.5 69.8 76.2	1000 1000 Width (mm)	1250 1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PBH-GF30 plate PBH-GF30 plate PBH000 rod PBH000 rod PBH000 rod PBH000 rod PBH-GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8 19 22.2 25.4 31.75 38.1 44.6 50.8 57.15 63.5 69.8 76.2 82.5	1000 1000 Width (mm)	1250 1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step
PEH-GF30 plate PBH-GF30 plate PBH-GF30 plate PEH-GF30 rod	95.2 101.6 Diameter (mm) φ6-12 φ15-50 φ60-250 6.35 9.5 12.7 15.8 19 22.2 25.4 31.75 38.1 44.6 50.8 57.15 63.5 69.8 76.2 82.5 88.9	1000 1000 Width (mm)	1250 1250 1250 Length (mm) 1000 1000 1000 1000 1000 1000 1000 1	Diameter 2mm/step Diameter 5mm/step

Detailed Photos












Company Profile









APPLICATION



Our Exhibition

















- A: Are you factory or Trade Company?
- B: We are professional manufacturer with about 10+ years experience. We can export you the products directly.
- A: Where is your factory located?
- B: Our factory is located in Changxing City, Zhejiang Province, welcomed to visit our company!
- A: Can I get some samples?
- B: Yes, we offer free samples. Customers just need to pay for the freight.
- A: Do you provide OEM service?
- B: Yes, OEM service is available. We have professional design department, which allows us to produce according to your requirements.
- A: What certificates have you got?
- B: Our products get ROHS, and REACH.
- A: What is the mass production lead time?
- B: Normally 10-20 days after deposit. Bulk order depends on the quantity.
- A: How to protect our rights after payment?
- B: Don't worry, we accept Alibaba Trade Assurance, which can help to 100% protect the quality, on-time shipment, and payment.
- A: How does your factory do regarding quality control?
- B: We always attach great importance to quality control from the beginning to the end:
- 1) All raw material we used are environmental-friendly;
- 2) Skilful workers care every detail in handling the producing and packing process.
- 3) Quality control department especially responsible for quality checking in each process.

MakeWell Changzhou Makewell Industry Co., Ltd



+86-18626201100



info@makewellcz.com



makewellplastic.com