

# **Recycled HDPE Pe Uhmw Material Colored Plastic Sheet**

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
  - Packaging Details:
  - Delivery Time:
  - Payment Terms:
  - Supply Ability:
- China MAKEWELL ISO9001 Rohs, Reach UHMW PE920 SHEET 10kg 30- 50/kg Pallet 7-15 days L/C, D/A, D/P, T/T, Western Union, MoneyGram 100000000 kg /month



# **Product Specification**

Material:	SHEET
Color:	Black, White, Custom Color
• Size:	Custom Size
Quality:	High Quality
Delivery Time:	7-15 Days
<ul> <li>Advantage:</li> </ul>	Good Mechanical Properties And Rigidity
• Surface:	High Surface Hardness
<ul> <li>Plastic Modling Type:</li> </ul>	Extruding,Mould
• Туре:	Sheet, Rod, Tube
<ul> <li>Packing:</li> </ul>	Wooden Box,Wooden Case
• Tolerance:	As Drawing
Service:	OEM/ODM As Your Sketch, idea Or Samples, OEM Service
• Item:	Custom Cnc Machining Engineering Plastic Products
Due duet Name :	



# More Images



#### Product Description

UPE Natural Color "White", Green, Black, Color - available as "Food grade") With excellent balance performance, excellent friction and wear resistance, can reach -200 excellent low temperature and low pressure impact strength.

# Our size

# UHMW PE 300/500/1000 (NC、BK、Red、Blue、Green、 Yellow、Pourpre、Customer color)

Product	Diameter (mm)	Width (mm)	Length (mm)	Mark
UHMW PE rod	20-50	-	1000/3000	Diameter 5mm/step
UHMW PE rod	60	-	1000/3000	
UHMW PE rod	70	_	1000/3000	
UHMW PE rod	80-150		1000	Diameter 10mm/step
Product	Thickness (mm)	Width (mm)	Length (mm)	Mark
UHMW PE sheet	10	Size (Width and Length) :		
UHMW PE sheet	12	1060-4180mm 1510-4150mm 1040-6050mm 1280-6150mm 1550-5150mm		
UHMW PE sheet	15-50			Thickness 5mm/step
UHMW PE sheet	50-200			Thickness 10mm/step

#### Detailed Photos

















# Our Exhibition





- 1) All raw material we used are environmental-friendly;
- 2) Skilful workers care every detail in handling the producing and packing process.
- 3) Quality control department especially responsible for quality checking in each process.

