

# Nylon6 GF30 Engineering Plastic Rod Black Nylon Bar Stock 20mm

Basic Information	
<ul> <li>Place of Origin:</li> </ul>	China

- Place of Origin:Brand Name:
- Brand Name: MAKEWELL
   Certification: ISO9001 Rohs, Reach
- Model Number: Nylon PA6 GF30
- Minimum Order 10kg
   Quantity:
- Price: Negociation
- Packaging Details: Pallet
- Delivery Time: 7-15 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
   Supply Ability: 10000000 kg /month

## **Product Specification**

Color:	NC/BLACK
Service:	OEM/ODM
• Type:	Sheet, Rod, Tube
Density:	1.14 G/cm <sup>3</sup>
Material:	Nylon 6 GF30
• Flammability:	UL 94 V-2
• Size:	15-100mm Diameter
Product:	Custom Cnc Machining Engineering Plastic Products
Highlight:	Makewell 20mm engineering plastic rod, Makewell Nylon6 engineering plastic rod, Makewell GF30 black nylon bar stock

### **Product Description:**

Nylon 6 GF30 is a custom CNC machining engineering plastic product made of high-quality nylon 66 30 GF material. It is available in different types such as sheet, rod, and tube, in NC/Black color. It offers excellent mechanical, thermal, and electrical properties. It is ideal for a wide range of applications in different industries such as automotive, electronics, and medical. It is also excellent for high temperature applications up to 180°C. It is easy to process, has a good surface finish, and is highly resistant to wear and tear. It also has excellent chemical resistance and is corrosion-resistant. It is an ideal choice for OEM/ODM applications. It is a high-performance material with superior durability and strength.

#### **Features:**

Product Name: Nylon 6 GF30 Product: Custom Cnc Machining Engineering Plastic Products Size: 15-100mm Diameter Material: Nylon 6 GF30 Density: 1.14 G/cm<sup>3</sup> Color: NC/BLACK Plastics Engineering Co. Engineering Plastics Manufacturing Nylon 66 30 GF

## **Technical Parameters:**

Property	Value
Material	Nylon 6 GF30
Density	1.14 G/cm <sup>3</sup>
Color	NC/BLACK
Size	15-100mm Diameter
Product	Custom Cnc Machining Engineering Plastic Products
Service	OEM/ODM
Flammability	UL 94 V-2
Туре	Sheet, Rod, Tube

## **Applications:**

MAKEWELL's Nylon PA6 GF30 is an engineering plastic made from high-performance nylon 66 and 30% glass fiber, making it an ideal material for a variety of industrial and commercial applications. Its superior strength and rigidity make it an ideal choice for high-stress parts and components. It has a density of 1.14 g/cm<sup>3</sup> and is available in sheet, rod and tube forms ranging from 15-100 mm in diameter. This engineering nylon 66 is certified by ISO9001, Rohs, and Reach, and is available for a minimum order quantity of 10 kg at competitive prices. MAKEWELL offers quick delivery times of 7-15 days, and flexible payment options such as L/C, D/A, D/P, T/T, Western Union, and MoneyGram. This product is also available with OEM/ODM services, and with a supply capacity of up to 10000000 kg/month. Nylon PA6 GF30 is perfect for engineering plastics manufacturing, making it the ideal choice for any industrial application.

#### **Customization:**

Plastic Engineering Inc. is proud to offer you the Nylon PA6 GF30, a quality engineering plastic from the Makewell brand. This product is built to the highest standards, certified to ISO9001, Rohs and Reach, and is available with customized service. Our Nylon 66 30 GF is ideal for applications requiring a high quality, flame retardant material. It comes in a range of sizes from 15-100mm diameter, in natural or black colors. We offer a minimum order quantity of 10 kg, negotiable prices, and delivery time of 7-15 days. Our payment terms are L/C, D/A, D/P, T/T, Western Union, MoneyGram, and we have a supply ability of 10000000 kg/month. Contact us today for further details on our customized service for Nylon PA6 GF30.

#### Support and Services:

Technical support and service for Nylon 6 GF30 includes: Providing technical advice for customers on how to use the product. Offering training to customers on how to use the product. Providing diagnostics and troubleshooting service. Providing regular maintenance and repair services.

