

Engineering Plastic Solid Nylon 6 GF30 Bar Products CNC Machining Services

Basic Information

- Place of Origin:
- Brand Name: MAKEWELL
- Certification: ISO9001 Rohs, Reach

China

- Model Number: Nylon PA6 GF30
- Minimum Order 10kg
 Quantity:
- Price: Negociation
- Packaging Details: Pallet
- Delivery Time: 7-15 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
 Supply Ability: 10000000 kg /month



Product Specification

• Type:	Sheet, Rod, Tube
Density:	1.14 G/cm ³
Product:	Custom Cnc Machining Engineering Plastic Products
Service:	OEM/ODM
Flammability:	UL 94 V-2
• Size:	15-100mm Diameter
Material:	Nylon 6 GF30
Color:	NC/BLACK
Highlight:	Makewell Nylon 6 GF30 Bar, Makewell Solid Nylon 6 GF30, Makewell GF30 solid nylon bar

Product Description:

Nylon 6 GF30 is an engineering plastic nylon that provides excellent performance in applications requiring high mechanical strength and flexibility. This engineering nylon is composed of nylon 66 30 GF and has a UL 94 V-2 flammability rating, making it suitable for use in high fire-risk environments. It is available in sheet, rod, and tube form in sizes ranging from 15 to 100mm in diameter. Nylon 6 GF30 is ideal for custom CNC machining engineering plastic products and OEM/ODM services, making it a great choice for projects requiring specialized engineering plastic components.

Features:

Product Name: Nylon 6 GF30 Service: OEM/ODM Material: Nylon 6 GF30 Flammability: UL 94 V-2 Product: Custom CNC Machining Engineering Plastic Products Size: 15-100mm Diameter Specialty: Nylon Engineering Plastic, Nylon 66 30 GF, Plastic Engineering Inc, CNC Machining, UL 94 V-2

Technical Parameters:

Property	Value
Service	OEM/ODM
Material	Nylon 6 GF30
Size	15-100mm Diameter
Туре	Sheet, Rod, Tube
Color	NC/BLACK
Flammability	UL 94 V-2
Density	1.14 G/cm ³
Product	Custom Cnc Machining Engineering Plastic Products

Applications:

MAKEWELL Nylon PA6 GF30 is an engineering plastics manufactured by China with high-quality standards and certification, including ISO9001, Rohs, and Reach. It has excellent flammability, meeting the UL 94 V-2 rating. It is ideal for a wide range of uses, and has a density of 1.14 G/cm³. The minimum order quantity is 10kg, and it is available in sizes from 15-100mm in diameter. It is packaged in pallets and is available for delivery in 7-15 days. Payment terms are flexible, with options such as L/C, D/A, D/P, T/T, Western Union, and MoneyGram accepted. The company has a monthly supply capacity of 100000000 kg. OEM/ODM services are also available.

Customization:

MAKEWELL Nylon PA6 GF30 Brand Name: MAKEWELL Model Number: Nylon PA6 GF30 Place of Origin: China Certification: ISO9001 Rohs, Reach Minimum Order Quantity: 10kg Price: Negociation Packaging Details: Pallet Delivery Time: 7-15 days Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram Supply Ability: 10000000 kg /month Product: Custom Cnc Machining Engineering Plastic Products Flammability: UL 94 V-2 Type: Sheet, Rod, Tube Size: 15-100mm Diameter Service: OEM/ODM MAKEWELL Nylon PA6 GF30 is an engineering nylon which is made of premium engineering plastic and provides a variety of custom CNC machining services. It is flame retardant with UL 94 V-2 rating and is available in sheet, rod, and tube form with a diameter ranging

Our Product Introduction

from 15mm to 100mm. It is ISO9001, Rohs and Reach certified, and offers OEM/ODM services. It requires a minimum order quantity of 10kg and prices are negotiable.

Support and Services:

Nylon 6 GF30 technical support and service includes: Helping customers choose the right material and design for their applications and processes Assisting customers in determining the cost-effectiveness of product selection Providing technical data and product specifications to ensure safe and efficient processing Offering training and installation services Providing guidance on regulatory and compliance issues Supporting customers with product quality issues Offering expert repair and troubleshooting advice



Gounan Industrial Pack Wujin District Changzhou City, Jiangsu, China