



High Impact Nylon 6 MoS2 Rod 20mm Engineering Plastics Inc

Basic Information

Place of Origin: China

Brand Name: MAKEWELL

Certification: ISO9001 Rohs, Reach
 Model Number: Nylon PA6 MoS2 rod

Minimum Order

Quantity:

• Price: Negociation

• Packaging Details: Pallet

• Delivery Time: 7-15 days

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

10kg

MoneyGram

• Supply Ability: 100000000 kg /month



Product Specification

Size: 25-100mm DiameterType: Sheet, Rod, Tube

• Chemical Resistance: High

• Plastic Modling Type: Extruding, Mould

Impact Strength: High
Material: Nylon 6
Additive: MoS2
Surface Hardness: High

• Highlight: Makewell Engineering Nylon 6 MoS2,

Makewell 20mm Nylon 6 MoS2, Makewell 20mm nylon rod Plastics

Product Description:

Nylon 6 MoS2 - An Ideal Choice for High Performance Applications

Nylon 6 MoS2 is an advanced material solution, formulated with molybdenum disulfide (MoS2) filled nylon 66. It offers superior impact strength, flexibility, and abrasion resistance. It is the ideal choice for applications that require high performance. The combination of nylon 6 and MoS2 results in a highly durable material with excellent tensile strength, flexural modulus, and chemical resistance. The material is available in black in the form of sheet, rod, and tube. Its superior impact strength and abrasion resistance make it an ideal choice for applications such as machine components, automotive parts, medical devices, and electrical components.

Nylon 6 MoS2 is a powerful material that can withstand extreme temperatures and harsh environmental conditions. It is highly resistant to heat, humidity, and chemicals, making it an excellent choice for applications where long-term performance is critical. The material is also corrosion and wear resistant, making it an ideal choice for applications where durability is key. Its excellent flexural modulus and tensile strength make it an excellent choice for applications such as pipes, valves, and fittings.

Nylon 6 MoS2 is an ideal choice for applications that demand high performance, superior impact strength, excellent flexibility, and abrasion resistance. Its superior tensile strength, flexural modulus, and chemical resistance make it an ideal choice for applications requiring long-term performance. Its black color and availability in sheet, rod, and tube forms make it an ideal choice for applications where aesthetics are important.

Features:

Product Name: Nylon 6 MoS2

Service: OEM/ODM Surface Hardness: High Size: 25-100mm Diameter

Additive: MoS2 Material: Nylon 6

Keywords: nylon plastic rod, nylon round rod, 6mm nylon rod

Technical Parameters:

| Attributes | Values |
|------------------------|---|
| Additive | MoS2 |
| Chemical Resistance | High |
| Туре | Sheet, Rod, Tube (8mm Nylon Rod, Molybdenum Disulfide MoS2 Filled Nylon, Nylon Round Rod) |
| Impact Strength | High |
| Plastic Modling Type | Extruding, Mould |
| Service | OEM/ODM |
| Material | Nylon 6 |
| Color | Black |
| Flexural Modulus | High |
| Surface Hardness | High |

Applications:

MAKEWELL Nylon PA6 MoS2 Rod is a high-quality 8mm nylon rod, nylon plastic rod, 25mm nylon rod, nylon pa6 rod, and mos2 additive that is certified by ISO9001, Rohs, and Reach. With a minimum order quantity of 10kg, it is available at a negotiable price and comes with a pallet for packaging. Within 7-15 days of payment by L/C, D/A, D/P, T/T, Western Union, or MoneyGram, it can be delivered with a 100000000 kg/month supply capacity. This nylon rod is ideal for extruding or moulding with a high surface hardness and abrasion resistance. Its size ranges from 25-100mm in diameter.

Customization:

Customized Nylon 6 MoS2 Rod from MAKEWELL

MAKEWELL provides a wide range of customized Nylon 6 MoS2 Rod, which is a high-performance material with high abrasion resistance and flexural modulus. It is 25-100mm in diameter and is filled with molybdenum disulfide (MoS2).

Brand Name: MAKEWELL

Model Number: Nylon PA6 MoS2 rod

Place of Origin: China

Certification: ISO9001 Rohs, Reach Minimum Order Quantity: 10kg

Price: Negociation Packaging Details: Pallet Delivery Time: 7-15 days

Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram

Supply Ability: 100000000 kg /month

Flexural Modulus: High

Color: Black Additive: MoS2

Abrasion Resistance: High Size: 25-100mm Diameter

MAKEWELL's customized Nylon 6 MoS2 Rod is ideal for applications such as nylon plastic rod, 25mm nylon rod, molybdenum disulfide

mos2 filled nylon plastic rod, etc. We are committed to providing quality products and services at competitive prices.

Support and Services:

Nylon 6 MoS2 Technical Support and Service

At [Company Name], we provide comprehensive technical support and service for our Nylon 6 MoS2 products. Our team of highly skilled and experienced engineers are available to answer any questions and provide assistance with installation, maintenance, and troubleshooting.

We provide on-site technical support and service for our Nylon 6 MoS2 products. Our technicians are available to provide assistance with installation, maintenance, and troubleshooting. We also provide remote technical support and training to ensure that our customers can get the most out of their Nylon 6 MoS2 products.

We have a dedicated customer service team ready to answer any questions you may have about our Nylon 6 MoS2 products. Our team is available 24/7 to provide assistance and answer any of your questions.

We are committed to providing the highest quality technical support and service for our Nylon 6 MoS2 products. We are dedicated to ensuring that our customers get the most out of their Nylon 6 MoS2 products.

MakeWell Changzhou Makewell Industry Co., Ltd



+86-18626201100



info@makewellcz.com



makewellplastic.com

Gounan Industrial Pack Wujin District Changzhou City, Jiangsu, China