



NC/Black Nylon 6 GF30 Polyamide Rod CNC Machining

Our Product Introduction

for more products please visit us on makewellplastic.com

Basic Information

- Place of Origin: China
- Brand Name: MAKEWELL
- Certification: ISO9001 Rohs, Reach
- Model Number: Nylon PA6 GF30
- Minimum Order Quantity: 10kg
- Price: Negotiation
- Packaging Details: Pallet
- Delivery Time: 7-15 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100000000 kg /month



Product Specification

- Type: Sheet, Rod, Tube
- Size: 15-100mm Diameter
- Density: 1.14 G/cm³
- Service: OEM/ODM
- Material: Nylon 6 GF30
- Product: Custom Cnc Machining Engineering Plastic Products
- Color: NC/BLACK
- Flammability: UL 94 V-2
- Highlight: **Makewell Black Nylon 6 GF30,
Makewell Nylon 6 GF30 CNC Machining,
Makewell Nylon6 polyamide rod**

Product Description

Product Description:

Plastic Engineering Inc. offers Nylon 6 GF30, a state-of-the-art engineering nylon 6 reinforced with 30% glass fiber. With its superior properties, this engineering plastic is the perfect solution for a wide range of applications. It has a density of 1.14 g/cm³, an attractive NC/BLACK color, and comes in sizes ranging from 15-100mm in diameter. It is also available in sheet, rod, and tube forms, and has a UL 94 V-2 flammability rating. With its high strength and impact resistance, Nylon 6 GF30 from Plastic Engineering Inc. is an ideal choice for various engineering applications.

Features:

Product Name: Nylon 6 GF30

Product: Custom CNC Machining Engineering Plastic Products from Plastic Engineering Inc.

Flammability: UL 94 V-2

Service: OEM/ODM

Material: Nylon 6 GF30

Density: 1.14 G/cm³

Technical Parameters:

Property	Detail
Size	15-100mm Diameter
Material	Nylon 6 GF30
Flammability	UL 94 V-2
Service	OEM/ODM
Type	Sheet, Rod, Tube
Color	NC/BLACK
Density	1.14 G/cm ³
Product	Custom Cnc Machining Engineering Plastic Products
Company	Plastic Engineering Inc.

Applications:

MAKEWELL's Nylon PA6 GF30 is a engineering plastic nylon made from high-grade nylon 6 material. It is an extremely versatile engineering plastic nylon suitable for a wide range of applications, from automotive and aerospace components to medical devices and industrial instruments. With a high strength-to-weight ratio and excellent wear and abrasion resistance, Nylon PA6 GF30 is a strong yet lightweight material that can be used in many demanding applications. It has a high density of 1.14 G/cm³, making it suitable for use in components of any size, from 15-100mm diameter. This engineering plastic nylon meets the highest standards of quality, with ISO9001 Rohs and Reach certifications. It is available in sheet, rod, and tube form with NC/BLACK color. MAKEWELL's Nylon PA6 GF30 is offered at competitive prices with a minimum order quantity of 10kg. Deliveries are made within 7-15 days and payment is accepted through L/C, D/A, D/P, T/T, Western Union, and MoneyGram. With a monthly supply capacity of 100000000 kg, MAKEWELL is capable of providing customers with a wide range of custom CNC machining engineering plastic products.

Customization:

Customized Nylon 6 GF30 Products by MAKEWELL

MAKEWELL offers customized Nylon 6 GF30 products with superior performance in plastic engineering products. Nylon 6 is an engineering plastic with superior properties such as high strength, low friction, and good wear and chemical resistance. The excellent properties of Nylon 6 make it an ideal material for engineering plastics manufacturing. Our Nylon 6 GF30 is the perfect choice for any high performance engineering plastic applications.

Brand Name: MAKEWELL

Model Number: Nylon PA6 GF30

Place of Origin: China

Certification: ISO9001 Rohs, Reach

Minimum Order Quantity: 10kg

Price: Negotiation

Packaging Details: Pallet

Delivery Time: 7-15 days

Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram

Supply Ability: 100000000 kg /month

Size: 15-100mm Diameter

Color: NC/BLACK

Service: OEM/ODM

Density: 1.14 G/cm³

Material: Nylon 6 GF30

For more information about our customized Nylon 6 GF30 products, please contact us today.

Support and Services:

Our technical support and services for Nylon 6 GF30 include:

Troubleshooting and problem-solving assistance

Expert technical advice and guidance

Product compatibility information and confirmation

Application assistance and process optimization

Installation and maintenance support

Product and performance testing

Product specification and customization



Changzhou Makewell Industry Co., Ltd



+86-18626201100



info@makewellcz.com



makewellplastic.com

Gounan Industrial Park Wujin District Changzhou City, Jiangsu, China