



Round GF30 PA6 Nylon Rods bar ODM Service

Our Product Introduction

for more products please visit us on makewellplastic.com

Basic Information

- Place of Origin: China
- Brand Name: MAKEWELL
- Certification: ISO9001 Rohs, Reach
- Model Number: Nylon PA6 GF30
- Minimum Order Quantity: 10kg
- Price: Negotiation
- Packaging Details: Pallet
- Delivery Time: 7-15 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100000000 kg /month



Product Specification

- Product: Custom Cnc Machining Engineering Plastic Products
- Type: Sheet, Rod, Tube
- Material: Nylon 6 GF30
- Density: 1.14 G/cm³
- Flammability: UL 94 V-2
- Size: 15-100mm Diameter
- Color: NC/BLACK
- Service: OEM/ODM
- Highlight: **Makewell GF30 pa6 nylon rods,**
Makewell OEM pa6 nylon rods,
Makewell GF30 round bar nylon

Product Description

Product Description:

Nylon 6 GF30 is an engineering plastic manufactured by thermoplastic engineering, and is a popular choice for a variety of applications requiring high levels of strength and durability. This material offers excellent dimensional stability, high impact strength, and outstanding chemical resistance. It is a strong and lightweight material that is also easy to fabricate and machine. It has a UL 94 V-2 flammability rating, and is available in sheet, rod, and tube forms, in a variety of diameters from 15-100mm in natural colour or black. It is ideal for applications such as gears, bushings, wear components, and mechanical parts. Nylon 6 GF30 is an ideal choice for engineering plastic solutions in a variety of manufacturing and engineering applications.

Features:

Product Name: Nylon 6 GF30
Service: OEM/ODM
Material: Engineering Plastics Manufacturing
Density: 1.14 G/cm³
Color: NC/BLACK
Size: 15-100mm Diameter
Engineering Plastics Co: Plastics Engineering Co
Engineering Nylon: Engineering Nylon
Engineering Plastics: Engineering Plastics

Technical Parameters:

Product Features	Specification
Size	15-100mm Diameter
Service	OEM/ODM
Product	Custom CNC Machining Engineering Plastic Products
Density	1.14 G/cm ³
Material	Nylon 6 GF30
Color	NC/BLACK
Flammability	UL 94 V-2
Type	Sheet, Rod, Tube

Applications:

Customization:

Customized Nylon 6 GF30 Products from MAKEWELL

Brand Name: MAKEWELL
Model Number: Nylon PA6 GF30
Place of Origin: China
Certification: ISO9001 Rohs, Reach
Minimum Order Quantity: 10kg
Price: Negotiation
Packaging Details: Pallet
Delivery Time: 7-15 days
Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
Supply Ability: 100000000 kg /month
Size: 15-100mm Diameter
Type: Sheet, Rod, Tube
Product: Custom Cnc Machining Engineering Plastic Products
Density: 1.14 G/cm³
Flammability: UL 94 V-2
MAKEWELL offers the highest quality customized Nylon 6 GF30 products from our plastics engineering co. Our plastic engineering inc ensures the best engineering plastics manufacturing to meet your exact specification. We also have the ability to produce engineering plastic products with a variety of specifications and sizes.

MAKEWELL's customer-oriented approach, quality engineering plastics manufacturing, and competitive prices make us the perfect partner for your custom CNC machining engineering plastic products needs.

Support and Services:

Technical Support and Service for Nylon 6 GF30

At XYZ, we provide comprehensive technical support and service for Nylon 6 GF30. Our experienced team of specialists are available to help customers with any questions, concerns, and troubleshooting. We also provide technical data sheets and product use guidelines. Additionally, our team offers onsite visits and product demonstrations.

We understand the importance of consistently providing high-quality products and services to our customers. That's why we offer our customers the best technical support and service for Nylon 6 GF30. Our team is committed to helping our customers get the most out of their purchase.



Changzhou Makewell Industry Co., Ltd



+86-18626201100



info@makewellcz.com



makewellplastic.com

Gounan Industrial Park Wujin District Changzhou City, Jiangsu, China